ELSEVIER

Sensors and Actuators B 22 (1994) 241

SENSORS AND ACTUATORS B CHEMICAL

Author Index of Volume 22

Agarwal, R.P., 121
Aste, T., 27
Avis, M., 149

Bajikar, S.S., 139
Bambot, S.B., 181
Basu, S., 83
Beruto, D., 27
Botter, R., 27
Boyle, W.J.O., 149
Briggs, R., 149
Butler, M.A., 155

Charlesworth, J.M., 1
Chen, L.Q., 211, 219, 227
Chernov, S.F., 57
Choquette, S.J., 89
Connolly, D., 149

Denton, D.D., 139
Doll, T., 109
Drost, S., 7
Dubrovsky, T., 69
Dutta, A., 83

Eisele, I., 109
Endres, H.-E., 7

Finlan, M.F., 175
Flietner, B., 109

Galloway, T.R., 37
Gerasutenko, V., 189
Gnewuch, H., 165
Golovanov, V., 189
Grattan, K.T.V., 149

Heider, J.E., 13
Heineman, W.R., 239
Henry, W.M., 101
Hoefer, U., 115
Hsu, C.-M., 63
Hua, P., 165
Huang, X.J., 211, 219, 227
Hubbard, D.E., 13
Hutter, F., 7

Ishiji, T., 205

Jakubik, W., 133
Jansen, K., 165

Kačiulis, S., 189
Kaneko, M., 205
Kang, W.P., 47
Kim, C.K., 47
Kimura, K., 195
Kinlen, P.J., 13
Klein, K.-D., 127
Kochowski, S., 133
Kriksunov, L.B., 201
Kudo, K., 205
Kühner, G., 115
Kulak, A.I., 97
Kurochkin, I.N., 57

Lakowicz, J.R., 181
Lavers, C.R., 75
Lechner, J., 109
Lee, P.-Y., 63
Leu, M., 109
Leung, P.-T., 175
Lin, H.-M., 63
Locascio-Brown, L., 89

MacCraith, B., 149
Macdonald, D.D., 201
Malan, G.P., 175
Mattogno, G., 189
Mishra, V.N., 121

Nicolini, C., 69
Noguchi, H., 237

Ovchinnikov, A.N., 57

Papkovsky, D.B., 57
Pfeifer, K.B., 37
Pollard-Knight, D., 175
Ponomarev, G.V., 57
Poznyak, S.K., 97

Ralston, A.R.K., 139
Rao, G., 181

Schoonman, J., 211, 219, 227
Schweizer, W., 115
Sipior, J., 181
Smyntyna, V., 189
Sprung, J.L., 37
Steiner, K., 115
Sulz, G., 115

Tobin, J.A., 139
Tsujimura, Y., 195

Urbańczyk, M., 133

Vakula, S., 69
Viticoli, S., 189

Wilkinson, J.S., 75, 165

Yang, C.-C., 63
Yang, H.-Y., 63
Yokoyama, M., 195

Elsevier Science S.A.

ELSEVIER

Sensors and Actuators B 22 (1994) 242–244

SENSORS AND ACTUATORS B CHEMICAL

Subject Index of Volume 22

Antibodies
preparation and immobilization of Langmuir–Blodgett films of antibodies conjugated to enzymes for potentiometric sensor application, 69
thermal detection of enzyme-labelled antigen–antibody complexes using fiber-optic interferometry, 89

Bi-electrode
voltage relaxations of bi-electrodes for the long-term monitoring of concentrations of hydrogen peroxide, glucose, etc., 127
Biosensors
modelling of particle-enhanced sensitivity of the surface-plasmon-resonance biosensor, 175
BSCCO
mechanism of a 'Schottky-barrier-limited' $Bi_2Sr_2CaCu_2O_{8+x}$-based sensor for CO and NO, 219
a gas sensor with porous films of $Bi_2Sr_2CaCu_2O_{8+x}$: an analysis of the response, 227

Cadmium selenide
surface spectroscopy study of CdSe and CdS thin-film oxygen sensors, 189
Cadmium sulphide
surface spectroscopy study of CdSe and CdS thin-film oxygen sensors, 189
Calix[4]arene ionophores
comparison between silicone-rubber membranes and plasticized poly(vinyl chloride) membranes containing calix[4]arene ionophores for sodium ion-sensitive field-effect transistors in applicability to sodium assay in human body fluids, 195
Capacitive sensors
comparative performance of linear, cross-linked, and plasma-deposited PMMA capacitive humidity sensors, 139
Carbon dioxide
CO and CO_2 thin-film SnO_2 gas sensors on Si substrates, 115
Carbon monoxide
CO and CO_2 thin-film SnO_2 gas sensors on Si substrates, 115
Carbon monoxide sensor
mechanism of a 'Schottky-barrier-limited' $Bi_2Sr_2CaCu_2O_{8+x}$-based sensor for CO and NO, 219
Carbon tetrachloride monitoring
polymer-coated surface acoustic wave monitoring of CCl_4 in a steam reforming reactor, 37
Catalytic gate–adsorptive oxide–insulator–semiconductor capacitors
performance and detection mechanism of a new class of catalyst (Pd, Pt, or Ag)–adsorptive oxide (SnO_x or ZnO)–insulator–semiconductor gas sensors, 47
Coated optical fibres
an investigation of coated tapered optical fibres, 101
Copper phthalocyanine
investigation of sensor properties of copper phthalocyanine with the use of surface acoustic waves, 133

Cross-sectional transformers
cross-sectional transformers for the signal enhancement of intensity-based evanescent-field sensors, 165

Dielectric gas sensors
impedance spectroscopy on dielectric gas sensors, 7

Electrode materials
effect of electrode material on sensor response, 121
Electroluminescence optical sensor system
an electroluminescence optical sensor system based on TiO_2 film electrodes for continuous measurement of H_2O_2 concentration in solution, 97
Electroluminescence semiconductor optrodes
an electroluminescence optical sensor system based on TiO_2 film electrodes for continuous measurement of H_2O_2 concentration in solution, 97
Enzyme label
thermal detection of enzyme-labelled antigen–antibody complexes using fiber-optic interferometry, 89
Enzymes
preparation and immobilization of Langmuir–Blodgett films of antibodies conjugated to enzymes for potentiometric sensor application, 69
Evanescent-field sensors
cross-sectional transformers for the signal enhancement of intensity-based evanescent-field sensors, 165

Fiber optics
thermal detection of enzyme-labelled antigen–antibody complexes using fiber-optic interferometry, 89
Fibre-optic sensor
luminescence lifetime-based sensor for relative air humidity, 57
Fluorescence resonance energy transfer
lifetime-based optical sensing of pH using resonance energy transfer in sol–gel films, 181

GasFETs
reliable hybrid GasFETs for work-function measurements with arbitrary materials, 109
Gas sensors
influence of microstructures on the functional properties of tin oxide-based gas sensors, 27
performance and detection mechanism of a new class of catalyst (Pd, Pt, or Ag)–adsorptive oxide (SnO_x or ZnO)–insulator–semiconductor gas sensors, 47
CO and CO_2 thin-film SnO_2 gas sensors on Si substrates, 115
effect of electrode material on sensor response, 121
a gas sensor with porous films of $Bi_2Sr_2CaCu_2O_{8+x}$: an analysis of the response, 227

Elsevier Science S.A.

Glass electrodes
development of glass pH sensors for use at temperatures of 200–250 °C, 201
Glucose sensor
voltage relaxations of bi-electrodes for the long-term monitoring of concentrations of hydrogen peroxide, glucose, etc., 127

Heterojunction
modified heterojunction based on zinc oxide thin film for hydrogen gas-sensor application, 83
Heteropolysiloxane
impedance spectroscopy on dielectric gas sensors, 7
High-T_c superconductors
high-T_c superconductors as NO sensor materials: a general investigation, 211
Humidity sensors
comparative performance of linear, cross-linked, and plasma-deposited PMMA capacitive humidity sensors, 139
Hybrid techniques
reliable hybrid GasFETs for work-function measurements with arbitrary materials, 109
Hydrogen peroxide sensor
an electroluminescence optical sensor system based on TiO_2 film electrodes for continuous measurement of H_2O_2 concentration in solution, 97
voltage relaxations of bi-electrodes for the long-term monitoring of concentrations of hydrogen peroxide, glucose, etc., 127
Hydrogen sensor
modified heterojunction based on zinc oxide thin film for hydrogen gas-sensor application, 83
micromirror optical-fiber hydrogen sensor, 155
Hydrogen sulfide sensors
nanocrystalline WO_3-based H_2S sensors, 63

Impedance spectroscopy
impedance spectroscopy on dielectric gas sensors, 7
Interdigital capacitor
impedance spectroscopy on dielectric gas sensors, 7
Iridium oxide
a solid-state pH sensor based on a Nafion-coated iridium oxide indicator electrode and a polymer-based silver chloride reference electrode, 13
ISFETs
comparison between silicone-rubber membranes and plasticized poly(vinyl chloride) membranes containing calix[4]arene ionophores for sodium ion-sensitive field-effect transistors in applicability to sodium assay in human body fluids, 195

Langmuir–Blodgett films
luminescence lifetime-based sensor for relative air humidity, 57
preparation and immobilization of Langmuir–Blodgett films of antibodies conjugated to enzymes for potentiometric sensor application, 69
Luminescence lifetime
luminescence lifetime-based sensor for relative air humidity, 57
Luminescent probe
microenvironmental studies of an $Ru(bpy)_3^{2+}$ luminescent probe incorporated into Nafion film and its application to an oxygen sensor, 205

Mach–Zehnder interferometer
thermal detection of enzyme-labelled antigen–antibody complexes using fiber-optic interferometry, 89
Metalloporphyrin
luminescence lifetime-based sensor for relative air humidity, 57
Micromirror
micromirror optical-fiber hydrogen sensor, 155
Microstructures
influence of microstructures on the functional properties of tin oxide-based gas sensors, 27

Nafion
a solid-state pH sensor based on a Nafion-coated iridium oxide indicator electrode and a polymer-based silver chloride reference electrode, 13
microenvironmental studies of an $Ru(bpy)_3^{2+}$ luminescent probe incorporated into Nafion film and its application to an oxygen sensor, 205
Nanocrystalline materials
nanocrystalline WO_3-based H_2S sensors, 63
Nitrogen oxide sensors
high-T_c superconductors as NO sensor materials: a general investigation, 211
mechanism of a 'Schottky-barrier-limited' $Bi_2Sr_2CaCu_2O_{8+x}$-based sensor for CO and NO, 219

Optical fibers
micromirror optical-fiber hydrogen sensor, 155
Optical monitoring of water samples
results of a cross-comparison study: optical monitoring of total organic carbon (TOC) of a limited range of samples, 149
Optical oxygen sensor
optical sensing of oxygen using phosphorescence quenching, 1
Optical sensing
lifetime-based optical sensing of pH using resonance energy transfer in sol–gel films, 181
Organic vapour sensor
investigation of sensor properties of copper phthalocyanine with the use of surface acoustic waves, 133
Oxygen sensors
surface spectroscopy study of CdSe and CdS thin-film oxygen sensors, 189
microenvironmental studies of an $Ru(bpy)_3^{2+}$ luminescent probe incorporated into Nafion film and its application to an oxygen sensor, 205

Particle enhancement
modelling of particle-enhanced sensitivity of the surface-plasmon-resonance biosensor, 175
Phosphorescence quenching
optical sensing of oxygen using phosphorescence quenching, 1
pH sensors
a solid-state pH sensor based on a Nafion-coated iridium oxide indicator electrode and a polymer-based silver chloride reference electrode, 13
lifetime-based optical sensing of pH using resonance energy transfer in sol–gel films, 181
development of glass pH sensors for use at temperatures of 200–250 °C, 201
Poly(methyl methacrylate)
comparative performance of linear, cross-linked, and plasma-deposited PMMA capacitive humidity sensors, 139
Potentiometric sensors
preparation and immobilization of Langmuir–Blodgett films of antibodies conjugated to enzymes for potentiometric sensor application, 69
PVC membranes
comparison between silicone-rubber membranes and plasticized poly(vinyl chloride) membranes containing calix[4]arene

ionophores for sodium ion-sensitive field-effect transistors in applicability to sodium assay in human body fluids, 195

Relative humidity
luminescence lifetime-based sensor for relative air humidity, 57

Schottky barrier
mechanism of a 'Schottky-barrier-limited' $Bi_2Sr_2CaCu_2O_{8+x}$-based sensor for CO and NO, 219
Signal enhancement
cross-sectional transformers for the signal enhancement of intensity-based evanescent-field sensors, 165
Silicon
CO and CO_2 thin-film SnO_2 gas sensors on Si substrates, 115
Silicone-rubber membranes
comparison between silicone-rubber membranes and plasticized poly(vinyl chloride) membranes containing calix[4]arene ionophores for sodium ion-sensitive field-effect transistors in applicability to sodium assay in human body fluids, 195
Silver chloride
a solid-state pH sensor based on a Nafion-coated iridium oxide indicator electrode and a polymer-based silver chloride reference electrode, 13
SO_2 sensor
impedance spectroscopy on dielectric gas sensors, 7
Sodium assay
comparison between silicone-rubber membranes and plasticized poly(vinyl chloride) membranes containing calix[4]arene ionophores for sodium ion-sensitive field-effect transistors in applicability to sodium assay in human body fluids, 195
Sol–gel films
lifetime-based optical sensing of pH using resonance energy transfer in sol–gel films, 181
Steam reforming reactor
polymer-coated surface acoustic wave monitoring of CCl_4 in a steam reforming reactor, 37
Surface acoustic waves
polymer-coated surface acoustic wave monitoring of CCl_4 in a steam reforming reactor, 37
investigation of sensor properties of copper phthalocyanine with the use of surface acoustic waves, 133
Surface plasmon resonance
modelling of particle-enhanced sensitivity of the surface-plasmon-resonance biosensor, 175
Surface-plasmon sensor
a waveguide-coupled surface-plasmon sensor for an aqueous environment, 75
Surface spectroscopy
surface spectroscopy study of CdSe and CdS thin-film oxygen sensors, 189

Tapered optical fibres
an investigation of coated tapered optical fibres, 101
Thermal immunoassay
thermal detection of enzyme-labelled antigen–antibody complexes using fiber-optic interferometry, 89
Thick films
effect of electrode material on sensor response, 121
Thin films
surface spectroscopy study of CdSe and CdS thin-film oxygen sensors, 189
Thin solid films
luminescence lifetime-based sensor for relative air humidity, 57
Tin oxide
influence of microstructures on the functional properties of tin oxide-based gas sensors, 27
CO and CO_2 thin-film SnO_2 gas sensors on Si substrates, 115
effect of electrode material on sensor response, 121
Titanium dioxide
an electroluminescence optical sensor system based on TiO_2 film electrodes for continuous measurement of H_2O_2 concentration in solution, 97
Total organic carbon measurements
results of a cross-comparison study: optical monitoring of total organic carbon (TOC) of a limited range of samples, 149
Tris(2,2′-bipyridine) ruthenium(II)
microenvironmental studies of an $Ru(bpy)_3^{2+}$ luminescent probe incorporated into Nafion film and its application to an oxygen sensor, 205
Tungsten oxide
nanocrystalline WO_3-based H_2S sensors, 63

Voltage relaxation
voltage relaxations of bi-electrodes for the long-term monitoring of concentrations of hydrogen peroxide, glucose, etc., 127

Waveguide coupling
a waveguide-coupled surface-plasmon sensor for an aqueous environment, 75
Work-function measurements
reliable hybrid GasFETs for work-function measurements with arbitrary materials, 109

Zinc oxide
modified heterojunction based on zinc oxide thin film for hydrogen gas-sensor application, 83